AD-A059 648

AMHERST COLL MASS OBSERVATORY
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U) MAR 78 M H WEEKS, B J DESENA USAEHA-51-0059-78

UNCLASSIFIED

NL




























LEVEL (22)

UNITED STATES ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERDEEN PROVING GROUND, MD 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-37027-a
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 51-0059-78
NOVEMBER 1977 - MARCH 1978



Approved for public release; distribution unlimited.

78 10 10 146

Unclassified CURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS SAEHA-REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM I. REPORT NUMBER 2. GOVT ACCESSION NO. 3 RECIPIENT'S CATALOG NUMBER 51-0059-78 TITLE (and Subtitle) Topical Hazard Evaluation Program of Candidate Final Nov 77- Mar 78-Insect Repellent AI3-37027-a, US Department of Agriculture Proprietary Compound Study No. PERFORMING ORG. REPORT NUMBER 51-0059-78, November 1977 - March 1978 51-0059-78 AUTHOR(s) 8. CONTRACT OR GRANT NUMBER(8) MAURICE H. WEEKS BRENDA J. DeSENA PERFORMING ORGANIZATION NAME AND ADDRESS
US Army Environmental Hygiene Agency PROGRAM ELEMENT, PROJECT, TASK Aberdeen Proving Ground, MD 21010 11. CONTROLLING OFFICE NAME AND ADDRESS COmmander 12. REPORT DATE Nov 77 - Mar 78 US Army Health Services Command 13. NUMBER OF PAGES Fort Sam Houston, TX 78234 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report) 18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) USDA Proprietary Compound skin irritation AI3-37027-a eye irritation Topical Hazard Evaluation candidate repellent 20 ABSTRACT (Continue on reverse side if necessary and identify by block number) AA preliminary hazard evaluation of AI3-37027-a was performed by means of laboratory animal studies using rats, rabbits and guinea pigs. The technical grade compound has the potential to cause mild injury to the cornea, and some damage to the conjunctiva. However, it did not demonstrate potential for causing skin or photochemical irritation or sensitize guinea pigs or demonstrate an acute ingestion hazard. It was recommended that AI3-37027-a, be approved for further testing a candidate test renel

EDITION OF 1 NOV 65 IS

DD 1 JAN 73 1473

Unclassified



DEPARTMENT OF THE ARMY

Mr. Weeks/ag/584-3980

U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

29 SEP 1978

HSE-LT-T/WP

SUBJECT: Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-37027-a, US Department of Agriculture Proprietary Compound,

Study No. 51-0059-78, November 1977 - March 1978

Executive Secretary Armed Forces Pest Control Board Forest Glen Section, WRAMC Washington, DC 20012

A summary of the pertinent findings and recommendations of the inclosed report follows:

A preliminary hazard evaluation of AI3-37027-a was performed by means of laboratory animal studies using rats, rabbits, and guinea pigs. The technical grade compound has the potential to cause mild injury to the cornea, and some damage to the conjunctiva. However, it did not demonstrate potential for causing skin or photochemical irritation or sensitize guinea pigs or demonstrate an acute ingestion hazard. It was recommended that AI3-37027-a, be approved for further testing as a candidate insect repellent.

FOR THE COMMANDER:

1 Incl as (4 cy)

LTC, MSC

Director, Laboratory Services

HQDA (DASG-PSP) Cdr, HSC (HSPA-P) Dir, Advisory Ctr on Tox, NRC Supt, AHS (HSA-IHE) USDA, ARS (Dr. Terrence McGovern)

| NTIS | White Section |
|---------------|--------------------|
| DDC | Buff Section [|
| LNAMMOUNCE | |
| SIST TOATION | |
| CISTRIBUTION! | פברתם עדוויום ויאע |
| GISTRIBUTION/ | VALLACILITY COSS |



DEPARTMENT OF THE ARMY U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

HSE-LT-T/WP

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-37027-a
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 51-0059-78
NOVEMBER 1977 - MARCH 1978

1. AUTHORITY.

- a. Letter, US Department of Agriculture Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida. 4 November 1977.
- b. Memorandum of Understanding between the Department of the Army, Office of The Surgeon General; the US Army Health Services Command; the US Army Environmental Hygiene Agency; the Armed Forces Pest Control Board; and the US Department of Agriculture; effective 1970 with Amendment No. 1, effective August 1974.
- 2. REFERENCE. Toxicology Division Procedural Guide, US Army Environmental Hygiene Agency (USAEHA), 1972, revised 1976.
- 3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-37027-a.
- 4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate insect repellent AI3-37027-a, US Department of Agriculture (USDA) Proprietary Compound, was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows.*†

Approved for public release; distribution unlimited

^{*} In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1972 - second printing 1974.

t The experiments reported herein were performed in animal facilities fully accredited by the American Association for Accreditation of Laboratory Animal Care.

| Test | Results | Interpretation |
|--|---|---|
| SKIN IRRITATION STUDIES | | |
| Rabbits | | |
| Single 24-hour application to intact and abraded skin of New Zealand White rabbits. | Compound AI3-37027-a produced no primary irritation of the intact skin or of the skin surrounding an abrasion. | USAEHA Category I (ref Appendix). |
| 0.5 ml technical grade com- pound applied to each of six rabbits. | | |
| EYE IRRITATION STUDIES | | |
| Rabbits | | |
| Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits. | Compound AI3-37027-a produced mild injury to the cornea and, in addition, mild injury to the conjunctiva in six out of six rabbits. | USAEHA Category C (ref Appendix). |
| APPROXIMATE LETHAL DOSE (ALD) | | |
| <u>Oral</u> | | |
| Rats (male) - no diluent | ALD >2200 mg/kg | Presents little letha hazard from acute accidental ingestion. |

Test

Results

Interpretation

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-37027-a) and of a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

A 25 percent solution of AI3-37027-a in ethanol did not cause-a photochemical irritation reaction under test conditions.

Ethanol solutions of AI3-37027-a caused moderate irritation at both UV- and non-UV skin sites.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.

Compound AI3-37027-a did not cause a photo-chemical irritation reaction under test conditions and is not expected to cause a photochemical irritation reaction in humans.

Ethanol solutions of AI3-37027-a may cause skin irritation in some sensitive individuals. Personnel experiencing this reaction should wash off the solution as soon as possible.

Control

Following UV exposures of the rabbits, 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites.

Application areas were checked for skin irritation reactions at 24, 48 and 72 hours.

Test

Results

Interpretation

SENSITIZATION STUDIES

Guinea Pigs (Male)

Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-37027-a or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs received and challenged with a 0.1 percent solution of AI3-37027-a.

Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB.

Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction.

Positive Control (DNCB) produced a marked sensitization reaction in 10 out of 10 guinea pigs.

Compound AI3-37027-a did not produce a sensitization reaction under these test conditions and is not expected to produce a sensitization reaction in man.

^{*} A known skin sensitizer.

Study No. 51-0059-78, Nov 77 - Mar 78

- 5. CONCLUSION. The technical grade compound AI3-37027-a, showed a potential for causing mild eye irritation, and some skin irritation from ethanol solutions, but caused no other irritation reactions from skin, photochemical, or sensitization testing and does not present an acute ingestion hazard.
- 6. RECOMMENDATIONS. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended that AI3-37027-a, USDA Proprietary Compound, be approved for further testing as a candidate insect repellent. Ethanol solutions of this compound may cause skin irritation in sensitive individuals and if experienced, the site should be washed with copious amounts of water.

Main H. Writy

Chief, Toxicity Evaluation Branch

Toxicology Division

BRENDA J. DeSENA

SP4

Veterinary Specialist Toxicology Division

APPROVED:

ARTHUR H MCCREESH, Ph.D. Chief, Toxicology Division

5

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals. prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

<u>CATEGORY V</u> - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

- A. <u>Compounds noninjurious to the eye</u>. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.
- B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.
- C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

- D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.
- E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.
- F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.